

FIG. 1

b_1	b_0	u
0	0	1
0	1	j
1	0	-1
1	1	-j

that that the tast the tast that the tast the tast that the tast that the

FIG. 2




FIG. 3





FIG. 4



F16.5







FIG 6





F1G. 7



F16.8

FIG. 9

-	SECTION 1.1	Conventional
Modulation	No. of Add/Sub operations	No. of Add & Multiply
QPSK	2M-2	(4M-2) & 4M
16-QAM	3M-2	(4M-2) & 4M
64-QAM	4M-2	(4M-2) & 4M
256-QAM	5M-2	(4M-2) & 4M
1024-QAM	6M-2	(4M-2) & 4M

F16 10

the first feet from the first fact from the first from the first fact from the first f






FIG. 11

S(A)	S(B)	op	Z	S(Z)
+	+	A + B	A + B	+
+		A - B	A - B	+
_	+	B-A	B - A	+
_	_	-A-B	A + B	_

F1G. 12



F16.13



F16.14

the first first first fact from the control of the first fact from the control of the the cont

Modulation	Complexity	Minimum latency
QPSK	4 <i>M</i>	$2 + \log_2 M$
16-QAM	8 <i>M</i>	$4 + \log_2 M$
64-QAM	12 <i>M</i>	$6 + \log_2 M$

F16.15




FIG. 16

Modulation	Conventional	SECTION 1.1	minimal operations (Section 1.2)
QPSK	$2 \times 4 = 8$	0	0
16-QAM	$4\times16=64$	32	14
64-QAM	$4 \times 64 = 256$	160	68

F16.17





FIG. 18





71G.19